











	ScanSnap iX100  Black: PA03688-B005	ScanSnap iX1300  Black: PA03805-B105 White: PA03805-B005	ScanSnap iX1400  PA03820-B235	ScanSnap iX1600  Black: PA03770-B635 White: PA03770-B615	ScanSnap iX1600 Chromebook Edition  CG01000-310087	ScanSnap SV600  PA03641-B305	 Ethernet SP - 1120N  PA03811-B005	 Ethernet SP - 1130N  PA03811-B025
List Price	\$425	\$475	\$595	\$695	\$695	\$895	\$595	\$745
Image Sensor - Optics	CIS X 1	CIS X 2	CIS X 2	CIS X 2	CIS X 2	CCD	CIS X 2	CIS X 2
Scanning Speed	5.2 seconds per page	30 ppm / 60 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	40 ppm / 80 ipm	3 seconds per page	20 ppm / 40 ipm	30 ppm / 60 ipm
Resolution - Optical	600 DPI	600 DPI	600 DPI	600 DPI	600 DPI	Horizontal: 285 to 218 DPI Vertical: 283 to 152 DPI	600 DPI	600 DPI
Resolution - Output	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI
Simplex / Duplex	Simplex	Duplex	Duplex	Duplex	Duplex	Simplex	Duplex	Duplex
ADF Capacity	1 sheet	20 sheets	50 sheets	50 sheets	50 sheets	N/A	50 sheets	50 sheets
Document Size - Max	8.5 x 14.17 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	17.0 x 11.8 in.	8.5 x 14 in.	8.5 x 14 in.
Document Size - Min.	1 x 1 in.	2 x 2 in.	2 x 2 in.	2 x 2 in.	2 x 2 in.	1 x 1 in.	2 x 2.9 in.	2 x 2.9 in.
Long Document Support	Yes (34")	Yes (118")	Yes (118")	Yes (118")	Yes (118")	N/A	Yes (120")	Yes (120")
Plastic / Embossed Cards	Yes (0.76 mm / 0.76 mm)	Yes (1.4 mm / 1.4 mm)	Yes (0.76 mm / 0.76 mm)	Yes (0.76 mm / 0.76 mm)	Yes (0.76 mm / 0.76 mm)	Yes	Yes (0.76 mm / 1.24 mm)	Yes (0.76 mm / 1.24 mm)
Booklets / Passports	N/A	N/A	N/A	N/A	N/A	Yes	N/A	N/A
Paper Weight (Thickness)	14 - 56 lb	ADF: 11 - 34 lb MF: up to 2 mm	11 - 56 lb	11 - 56 lb	11 - 56 lb	30 mm (1.18 in.) or less	13.4 - 56 lb	13.4 - 56 lb
Flatbed (Dim.)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Paper Protection	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Multi-feed Detection	N/A	Length	Ultrasonic and length	Ultrasonic and length	Ultrasonic and length	N/A	Ultrasonic	Ultrasonic
Multi-feed - IMFF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Interface	USB 2.0 / Wi-Fi 2.4 GHZ	USB 3.2 / Wi-Fi 2.4 & 5 GHz	USB 3.2	USB 3.2 / Wi-Fi 2.4 & 5 GHZ	USB 3.2 / Wi-Fi 2.4 & 5 GHZ	USB 2.0	USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1 ETHERNET: 10BASE-T, 100BASE-TX, 1000BASE-T	USB 3.2 Gen 1x1 / USB 2.0 / USB 1.1 ETHERNET: 10BASE-T, 100BASE-TX, 1000BASE-T
Driver Support	ScanSnap Home Win, MacOS, iOS, Android and ChromeOS support	ScanSnap Home Win, MacOS, iOS, Android and ChromeOS support	ScanSnap Home Win and MacOS support	ScanSnap Home Win, MacOS, iOS, Android and ChromeOS support	ScanSnap Home Win, MacOS, iOS, Android and ChromeOS support	ScanSnap Home Win and MacOS support	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX
Image Enhancement	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated & Book Correction	PaperStream IP	PaperStream IP
Included Software	<ul style="list-style-type: none"> ScanSnap Suite* ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> ScanSnap Suite* ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> ScanSnap Home ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> ScanSnap Suite* ABBYY FineReader for ScanSnap Kofax PowerPDF (Win/Mac) 	<ul style="list-style-type: none"> ScanSnap Suite* ABBYY FineReader for ScanSnap Kofax PowerPDF (Win/Mac) 	<ul style="list-style-type: none"> ScanSnap Home ABBYY FineReader for ScanSnap Kofax PowerPDF (Win/Mac) 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap ABBYY FineReader Sprint 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader Sprint ABBYY FineReader for ScanSnap
* ScanSnap Suite:	<ul style="list-style-type: none"> ScanSnap Home ScanSnap Cloud 							
Dimensions (WxDxH)	10.74 x 1.87 x 1.42 in.	11.7 x 4.5 x 3.3 in.	11.5 x 6.3 x 6.0 in.	11.5 x 6.3 x 6.0 in.	11.5 x 6.3 x 6.0 in.	8.3 x 6.1 x 15.1 in.	11.7 x 5.31 x 5.24 in.	11.7 x 5.31 x 5.24 in.
Weight	0.8 lb	4.4 lb	7.1 lb	7.5 lb	7.5 lb	6.62 lb	5.5 lb	5.5 lb
Imprinter Option	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Standard Warranty	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange
Post Warranty	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange

	 fi - 8040 PA03836-B005	 fi - 8150 PA03810-B105	 fi - 8250 PA03810-B605	 fi - 8170 PA03810-B055	 fi - 8270 PA03810-B555	 fi - 7300NX PA03768-B005	 fi - 8190 PA03810-B005
List Price	\$795	\$1,465	\$2,395	\$1,845	\$2,948	\$1,911	\$ 2,948
Image Sensor - Optics	CIS X 2	CIS X 2	CIS X 2, CCD	CIS X 2	CIS X 2, CCD	CCD X 2	CIS X 2
Scanning Speed	40 ppm / 80 ipm	50 ppm / 100 ipm	50 ppm / 100 ipm	70 ppm / 140 ipm	70 ppm / 140 ipm	60 ppm / 120 ipm	90 ppm / 180 ipm
Resolution - Optical	600 DPI	600 DPI	600 DPI	600 DPI	600 DPI	600 DPI	600 DPI
Resolution - Output	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI
Simplex / Duplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
ADF Capacity	50 sheets	100 sheets	100 sheets	100 sheets	100 sheets	80 sheets	100 sheets
Document Size - Max	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.	8.5 x 14 in.
Document Size - Min.	2 x 2 in.	1.9 x 2 in.	1.9 x 2 in.	1.9 x 2 in.	1.9 x 2 in.	2 x 2.1 in.	1.9 x 2 in.
Long Document Support	Yes (220")	Yes (240")	Yes (240")	Yes (240")	Yes (240")	Yes (220")	Yes (240")
Plastic / Embossed Cards	Yes (0.76 mm / 0.76 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)
Booklets / Passports	N/A	Yes (7 mm)* *requires carrier sheet	Yes (7 mm & Flatbed)	Yes (7 mm)	Yes (7 mm & Flatbed)	N/A	Yes (7 mm)
Paper Weight (Thickness)	11 - 56 lb	5.3 - 124 lb	5.3 - 124 lb	5.3 - 124 lb	5.3 to 124 lb	7.2 - 110 lb	5.3 - 124 lb
Flatbed (Dim.)	N/A	N/A	Yes (8.5 x 11.7 in)	N/A	Yes (8.5 x 11.7 in)	N/A	N/A
Paper Protection	N/A	Image Monitoring	Image Monitoring	Image Monitoring and Sound Detection (iSOP)	Image Monitoring and Sound Detection (iSOP)	Lag Detection and Sound Detection (iSOP)	Image Monitoring and Sound Detection (iSOP)
Multi-feed Detection	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length
Multi-feed - IMFF	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Interface	USB 3.2 & Ethernet	USB 3.2 & Ethernet	USB 3.2 & Ethernet	USB 3.2 & Ethernet	USB 3.2 & Ethernet	USB 3.1 Gen 1, Wi-Fi 2.4 & 5 GHZ, Ethernet	USB 3.2 & Ethernet
Driver Support	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX
Image Enhancement	PaperStream IP	PaperStream IP	PaperStream IP	Clear Image Capture	PaperStream IP	PaperStream IP	Clear Image Capture
Included Software	<ul style="list-style-type: none"> PaperStream NX Manager PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream NX Manager PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream NX Manager PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream NX Manager PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap PaperStream NX Manager
Dimensions (WxDxH)	11.5 x 6.2 x 5.6 in.	11.8 x 6.7 x 6.4 in.	11.8 x 22.7 x 9.2 in.	11.8 x 6.7 x 6.4 in.	11.8 x 22.7 x 9.2 in.	11.8 x 7.9 x 6.6 in.	11.8 x 6.7 x 6.4 in.
Weight	6.8 lb	8.8 lb	19.4 lb	8.8 lb	19.4 lb	10.8 lb	8.8 lb
Imprinter Option	N/A	Yes – Post Scan (Back)	N/A	Yes – Post Scan (Back)	N/A	N/A	Yes – Post Scan (Back)
Standard Warranty	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange
Post Warranty	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange

	fi - 70F PA03841-B005	fi - 800R PA03795-B005	fi-8290 PA03810-B505	fi - 7460 PA03710-B055	fi - 7480 PA03710-B005
List Price	\$595	\$1,145	\$3,687	\$4,525	\$6,002
Image Sensor - Optics	CIS (CMOS CIS)	CIS X 2	CIS X 2, CCD	CCD X 2	CCD X 2
Scanning Speed	0.9 seconds / sheet (Monochrome) 1.3 seconds / sheet (Color)	40 ppm / 80 ipm Manual feed: 3.5 s / page	90 ppm / 180 ipm	60 ppm / 120 ipm (Landscape)	80 ppm / 160 ipm (Landscape)
Resolution - Optical	600 DPI	600 DPI	600 DPI	600 DPI	600 DPI
Resolution - Output	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI	Up to 1200 DPI
Simplex / Duplex	Simplex	Duplex	Duplex	Duplex	Duplex
ADF Capacity	N/A	20 sheets	100 Sheets	100 sheets	100 sheets
Document Size - Max	4.1 x 5.8 in.	8.5 x 14 in.	8.5 x 14 in.	12 x 17 in.	12 x 17 in.
Document Size - Min.	N/A	2 x 2 in.	1.9 x 2 in.	2.1 x 2.7 in.	2.1 x 2.7 in.
Long Document Support	N/A	Yes (220")	Yes (240")	Yes (220")	Yes (220")
Plastic / Embossed Cards	Yes	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)
Booklets / Passports	Yes	Yes (7 mm)	Yes (7 mm & Flatbed)	N/A	N/A
Paper Weight (Thickness)	Flatbed	11-34 lb / manual feed 5mm	5.3 to 124 lb	7.2 - 110 lb	7.2 - 110 lb
Flatbed (Dim.)	4.1 x 5.8 in.	N/A	Yes (8.5 x 11.7 in)	N/A	N/A
Paper Protection	N/A	N/A	Image Monitoring and Sound Detection (iSOP)	Lag Detection and Sound Detection	Lag Detection and Sound Detection
Multi-feed Detection	N/A	Ultrasonic	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length	Overlap (Ultrasonic Sensor) and length
Multi-feed - IMFF	N/A	Yes	Yes	Yes	Yes
Interface	USB 2.0 / USB 1.1	USB 3.2	USB 3.2 & Ethernet	USB 3.0	USB 3.0
Driver Support	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA, Mac OS, LINUX	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA, LINUX	PaperStream IP TWAIN & ISIS, WIA, LINUX
Image Enhancement	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP
Included Software	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Software Operation Panel Scanner Central Admin Server 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap PaperStream NX Manager 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin ABBYY FineReader for ScanSnap
Dimensions (WxDxH)	5.7 x 9.2 x 1.6 in.	11.7 x 4.1 x 3.3 in.	11.8 x 22.7 x 9.2 in.	15.0 x 8.2 x 6.6 in.	15.0 x 8.2 x 6.6 in.
Weight	1.98 lb	4.4 lb	30.8 lb	16 lb	16 lb
Imprinter Option	N/A	N/A	N/A	Yes – Post Scan (Back)	Yes – Post Scan (Back)
Standard Warranty	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange	1 Year Advance Exchange
Post Warranty	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange	Advance Exchange

Extra Peace of Mind

PCI offers several maintenance services to sustain your scanner's high level of reliability and overall performance.

By choosing a PCI maintenance service, you'll avoid expensive errors caused by counterfeit or off-brand products.

From on-site visits to easy-to-install consumable kits, PCI has maintenance services for every customer.

PCI maintenance services provide the additional support to ensure your productivity and deliver extra peace of mind.

Legend:

- ScanSnap
- Ethernet Connection
- SP Series
- Workgroup
- Departmental
- Production



PFU Canada Inc.

Telephone: 1-800-263-8716

Website: www.pfu-ca.ricoh.com

Have a question?

sales@pfu-ca.ricoh.com

	fi - 7600  PA03740-B505	fi - 7700  PA03740-B005	fi-8820  PA03830-B305	fi-8930  PA03830-B105	fi-8950  PA03830-B005	N7100E  PA03706-B505
List Price	\$8,665	\$11,588	\$9,045	\$13,565	\$19,865	\$2,855
Image Sensor - Optics	CCD X 2	CCD X 3	CIS x 2 - Clear Image Capture	CIS x 2 – Clear Image Capture	CIS x 2 – Clear Image Capture	CIS
Scanning Speed	100 ppm / 200 ipm	100 ppm / 200 ipm	120 ppm / 240 ipm	130 ppm / 260 ipm	150 ppm / 300 ipm	25 ppm / 50 ipm
Resolution - Optical	600 DPI	600 DPI	600 dpi	600 dpi	600 dpi	600 DPI
Resolution - Output	Up to 1200 DPI	Up to 1200 DPI	50-600 dpi	50 - 600 dpi	50 - 600 dpi	Up to 600 DPI
Simplex / Duplex	Duplex	Duplex	Duplex	Duplex	Duplex	Duplex
ADF Capacity	300 sheets	300 sheets	500 sheets (A4) / 500 sheets (A3)	750 sheets (A4) / 500 sheets (A3)	750 sheets (A4) / 500 sheets (A3)	50 sheets
Document Size - Max	12 x 17 in.	12 x 17 in.	12 x 17 in.	12 x 17 in.	12 x 17 in.	8.5 x 14 in.
Document Size - Min.	2 x 2.7 in.	2 x 2.72 in.	1.9 x 2.8 in.	1.9 x 2.8 in.	1.9 x 2.8 in.	2 x 2 in.
Long Document Support	Yes (220")	Yes (220")	Yes (240")	Yes (240")	Yes (240")	Yes (120")
Plastic / Embossed Cards	Yes (1.4 mm / 1.4 mm)	Yes (1.4 mm / 1.4 mm)	No	No	No	Yes (0.76 mm / 0.76 mm)
Booklets / Passports	N/A	N/A	No	No	No	N/A
Paper Weight (Thickness)	5.3 - 110 lb	5.3 - 110 lb	U-turn Scan: 5.3 to 68 lb, Straight Scan: 5.3 to 152 lb., Envelope: .05 in. or less	U-turn Scan: 5.3 to 68 lb, Straight Scan: 5.3 to 152 lb, Envelope: .05 in. or less	U-turn Scan: 5.3 to 68 lb, Straight Scan: 5.3 to 152 lb, Envelope: .05 in. or less	11 - 56 lb
Flatbed (Dim.)	No	Yes (12 x 18 in.)	No	No	No	N/A
Paper Protection	Lag Detection and Sound Detection	Lag Detection and Sound Detection	Automatic skew, Lag detection and Stapled document detection	Automatic skew, Lag detection and Stapled documents detection	Automatic skew, Lag detection and Stapled documents detection	N/A
Multi-feed Detection	Ultrasonic and length	Ultrasonic and length	Overlap detection (Ultrasonic sensor), Length detection	Overlap detection (Ultrasonic sensor), Length detection	Overlap detection (Ultrasonic sensor), Length detection	Ultrasonic
Multi-feed - IMFF	Yes	Yes	Yes	Yes	Yes	Yes
Interface	USB 3.0	USB 3.0	USB 3.2/Ethernet	USB 3.2/Ethernet	USB 3.2/Ethernet	Ethernet: 10BASE-T, 100BASE-TX, 1000BASE-T
Driver Support	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA	PaperStream IP TWAIN & ISIS, WIA	N/A
Image Enhancement	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP	PaperStream IP
Included Software	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin 	<ul style="list-style-type: none"> PaperStream Capture PaperStream ClickScan Scanner Central Admin 	<ul style="list-style-type: none"> Scanner Central Admin Admin Console: Scan to E-mail, Folder, Network Fax, FTP and Print
Dimensions (WxDxH)	25.2 x 17 x 8.4 in.	27.8 x 19.7 x 13.6 in.	18.1 x 16.9 x 12.4 in.	18.1 x 16.9 x 12.4 in.	18.1 x 16.9 x 12.4 in.	11.8 x 9.1 x 6.8 in.
Weight	24 lb	77 lb	50.7 lb	50.7 lb	50.7 lb	13.2 lb
Imprinter Option	Yes – Post Scan (Back)	N/A	Yes - Post Scan (Front & Back)	Yes – Post Scan (Front & Back)	Yes – Post Scan (Front & Back)	N/A
Standard Warranty	1 Year Advance Exchange	1 Year On-site	1 Year On-site	1 Year On-site	1 Year On-site	1 Year Advance Exchange
Post Warranty	Advance Exchange/On-site	On-site	On-site	On-site	On-site	Advance Exchange